Date: 2/4/09	s ²	3. ³	8 9	-	* =
Time: 10pm	ž. (č.		riin e	ñ s	
Battery: Wifputte	8.9	ţ-			
	3		*	œ.	* * *
Are there any leaks? (yes/no)	ed La				a . with
/Vo		4.8		100	* IE.
If yes, what time was the leak temporarily sealed?					
What time and date was it permanently repaired?		12	. ·		
ine. a	20				
If a leak is observed, you must temporarily seal the leadetection. You must initiate repairs within five (5) days	k within	n fou Ompl	r (4) i	hours o e repair	f within
Signature:	¥	4 :	5,2 K	ž.	

Date: 1-5-09	* *	a sé	17, 10		
Time: 10:558	3 to 31	E 2		9	8
111110		e f	340		3
Battery: WILPHTTP	407 a		a 9	- 48	- 5
*		W.	7	ä	2 3
	a 1 2 10 8)d 50		: IC
Are there any leaks? (yes/no)	No			0 Post	# X
	/4				
If yes, what time was the leak tempora	arily sealed?		5	a x	14
	- 11 T	2	2 "	3.5	E, S
What time and date was it permanentl	y repaired?			* = 22	=
		5			
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days:	rarily seal the lea	ak within f	our (4) 1	hours of	·
15 days:	rement fire (3) au	ух ина сот	pieie th	e repair	within
	3 3		* 5° 4 8		
Signature: V White	-	š. į 8	٠.,	51	E0
Signature:		s		Set.	5

Date: 2-6-09		jac Jac	327	-24	
Time: 11',450			8	×	*
Battery: WILPUTTE	,90 , 1	T-) <u>a</u>		
	₹. ₽		2		a
Are there any leaks? (yes/no) N D					E 2
* * * *					
If yes, what time was the leak temporarily sealed?			T.	ic into	G.
	Ö			(<u>1</u> 2)	8. 8
What time and date was it permanently repaired?	į.	8)*	3 5 7	0. ±
	8				
If a leak is observed, you must temporarily seal the leadetection. You must initiate repairs within five (5) do 15 days:	eak with ays and	in fou comp	ir (4) I lete th	hours of e repair	within
Signature:	(0)	8.8		28	

Date: 3-7-09	₩ _K ,		9 4 201 W		
Time: 11,30 P m	e ×			. 8	.e Ref
Battery: WILPUTTE		-	9 g		's
		· .			
Are there any leaks? (yes/no)	ND	1 0 to 100 to 10		eligi eligi	ese .
	3#1		7/	- 27	
If yes, what time was the leak tempo	rarily sealed?			# 5	· (E)
What time and date was it permanent	tly repaired?	á z	. 8	- 4 W	Par Section
					-
If a leak is observed, you must temp detection. You must initiate repairs 15 days:	orarily seal the within five (5) a	leak within f lays and con	our (4) , plete th	hours of e repair	within
Signature:	er a		* 5, 2 -		
DIGITALITIE. VILLE		5		30	<u>e</u> 1

Date: 3-8-09	9		i i	v ii wii	* - ×
Time: 11:05P					(E) E
Battery: WILPUTTE		94) T	196		- K
		9"			c * * * * *
Are there any leaks? (yes/no)	No		. '	16 ³	FI 0
If yes, what time was the leak tempora	arily scaled?	h +		4 T 1 12	. w
What time and date was it permanentl	y repaired?	8 8	7. H.		# # # # # # # # # # # # # # # # # # #
)			,
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days:	rarily seal the lovithin five (5) do	eak withir ays and co	four implet	(4) hours e the rep	of air within
Signaturė:	ar a			e e	*

Date: 3-9-09	₹ pc	F	3		
Time: 13',300m	a a a		a .	. 8	:5 +2:2
Battery: WILPHTT &			88 W 88	1.5	
		*	8		
Are there any leaks? (yes/no)	No				X11
	(-		1 V		
If yes, what time was the leak tempor	arily sealed? 🗻		12		- 93
What time and date was it permanently	ly repaired?		. *		F _S (9)
	× 3	*			
If a leak is observed, you must tempo detection. You must initiate repairs in 15 days.	rarily seal the l within five (5) d	eak within f ays and com	our (4) plete th	hours of e repair	within
Signature: V				(*) E	* 10:

Date: 03/10/09	a with the							
Time: 11:15 PM	* *	***		E %	 			
Battery: Wilputte		2 3 2 3	* ¥	1.7	· S			
		er er noge	18 ; E3					
Are there any leaks? (yes/no)	NO			60	60 f			
	*	V						
If yes, what time was the leak tempor	arily sealed?		ż		÷ .			
What time and date was it permanentl	ly repaired?	8 6	3	1 P	31 (A)			
		4			19			
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days.	orarily seal the l within five (5) d	eak within fo ays and com	our (4) I plete th	hours of e repair 1	within			
Signature: Commen			·	ж.,	1			

Date: 02/11/09	20 mg		· · · · · · · · · · · · · · · · · · ·		
Time: 11:30 Pm	\$1 0 \$4.0		47	_ 2 5	 14
Battery: Wilputte			* * * * * * * * * * * * * * * * * * *		
	g * 2		141	F	×
Are there any leaks? (yes/no)	NO				2
	4				
If yes, what time was the leak tempo	rarily scaled?				
What time and date was it permanent	tly repaired?	*		- 100 11 (100)	7.A.
		Ü			30
If a leak is observed, you must temp detection. You must initiate repairs 15 days.	orarily seal the within five (5)	e leak within f days and con	our (4) plete tl	hours of ie repair i	vithin
Signature:		ē		8	

Date: 03/13/09	* .	2 III	9	192 5 - 549			
Time: 11:45 Pm	ar o		· ·		9	,	ē e Kilo
Battery: Wilputte	14s.			9%			8
	. 4	2					8
Are there any leaks? (yes/no)	NO	30 I I			5). (8)	· .	
If yes, what time was the leak temp	orarily scaled?	art .	8	i.			s: _:e:
What time and date was it permane	ntly repaired?_		8			T-W	4 × × ×
		2.					
If a leak is observed, you must tem detection. You must initiate repair 15 days:	porarily seal th s within five (S	e leak with) days and	in for comp	ir (4) lete ti	hours ie rep	of air w	ithin

Signature:_

1 /	365	3.		530			
Date: 2/15/09	*1)	150	18K				
27/0/07							
Time: 9:15 m	- 0	a - 9		a		- 64 II 5 - II	
· · · · · · · · · · · · · · · · · · ·	8 ×	Page 1					,
Battery: Wilnuffe	100	,			. 10		*
	y ×		Ø _G			2	
	ξ¥.				34	8	
	40				-		
	10					360	
Are there any leaks? (yes/no)					3.5	8 5	
							_
		165	0.0	2	15		
If yes, what time was the leak temporarily sealed?	9		18	35		×	
	10						
TT II			$_{\alpha}=\varepsilon$			254	e 9.,
What time and date was it permanently repaired?	95	2002	130	C 25			
If a loak is abouted not work							
If a leak is observed, you must temporarily seal the le	ak with	in for	ur (4)	hour	s of		
detection. You must initiate repairs within five (5) da 15 days.	ys and	comp	lete i	he rep	air 1	vithi	in
		1				22	
61		- 2	$\alpha \in \mathcal{E}$	>			
Signature:	2	4.90	18 18		8		

Date: 03/23/09	* ;			64.65 S46.			
Time: 11:55 Pm		a a a a a a a a a a a a a a a a a a a	- H	#	8	94 14000	٠
Battery: Wilputte	11 (48) 144 168 4 (48) 174	u ^{at} ir ×	the s			9	
		1 4		- 100) - 60	920 (1)		
Are there any leaks? (yes/no)	NO				A16		
			i.				
If yes, what time was the leak tempor	rarily sealed?	¥				*6	791
What time and date was it permanent	-	- 	×	¥ 100):		*** *	
	i ropanog,		-				
If a leak is observed, you must tempe detection. You must initiate repairs 15 days.	orarily seal the within five (:	he leak withi 5) days and c	n fou compl	r (4) h ete the	ours o repair	f r with	ı i n
			9	2 11 12			
Signature: // Signature		<u>.</u> §	2 0	× × ×		e -	
	9 -		v.	K	0.390		3

Date: 02/14/09	25 E	Δ.	2 38 ² / ₂ #					
		e ⁽²⁾ (e)			, 1	82		
Time: 11:00 Pm	A	<u>a</u> 20	LE Ø	9.5		* *		
Battery: Wilputte	oe 2 -	-8	t-			- 8		
Stations. My /printer	1.5	,e: 18				×		
318, 3	8	9						
and the second	, m , R	4		i i				
	10.5. A	70 200 4			* 3	5 "		
Are there any leaks? (yes/no)	100				2 5	24 =		
and the St. of		-	×	33			10	
If yes, what time was the leak tempora	arily scaled?			100		18		
		*		-	_/4			
	10			8		200	P	
What time and date was it permanently	y repaired?				N			
) 4		
#2 *50 GP	s **							
If a leak is observed, you must tempo	rarily seal the	leak withi	n fou	r (4))	houre of	·		
uciecitori. Lou musi intitute repairs p	vithin five (5) a	lays and c	compl	ete th	e repair	within		
15 days.		•	(4)		-	7.18		
			0.00	e F				
Signature: 66334	· ×	59	W \$		1	5		
		· ·			27	- 12		

Date: 2-16-09	T a		ged, as		
Time: 10f	E V		10		ř
Time	Toy o			•	er" e
Battery: W. Pitte	- FEET	5/80	En F	7 - 5	8
,		a 14	2* Δ		31.
	* =	* *			*
	3 3 5	50	2		
Ara than in the land of	- 4 2	¥ 8 ,		- X	
Are there any leaks? (yes/no)					5.7
8 8		4	3 0		
If yes, what time was the leak tempo	rarily sealed?		£	£ (2)	ar . s
		(4)		11.75	
What time and date was it permanent	ly repaired?	**	3	78 14 A)	190 kg
1 .	, ropanou		10.00		
8		≈			-
Tro trong	5) ~				
If a leak is observed, you must temp	orarily seal the l	eak withir	n four (4)	hours of	r .
detection. You must initiate repairs 15 days:	within five (5) d	ays and co	omplete t	he repair	within
2 2			65		,
01/1	8		= E 2 = 0	*	
Signaturė:			Y 3	9	

Date: 2-17-09.		e e	· A				
Time: 108				s ×		j.	3
Battery: W: Port	1,0	(* * #		*	8	
	*			v.,	9 s		
Are there any leaks? (yes/no)				* x		9	
			2			1	-
If yes, what time was the leak temporarily sealed?			172	*		ar St	
	<u> </u>			11		ν, ^ν ,	
What time and date was it permanently repaired?	-		- 1 - 1	(10)	-		
TC T. T. T.						_	
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5) a 15 days:	leak witt days and	hin fo ! com	ur (4)	hours	of	£äv. •:	

Signature:_

Date: 2.18-09	W ex		. D		
Time:	a s Sc			* §	
Battery: WilPutte			(8 °C		4
Are there any leaks? (yes/no)	19 X			50° E07	
					-
If yes, what time was the leak tempo	rarily scaled?		5)	- II	
What time and date was it permanen	tly repaired?	2 F 1	5 ¹¹	200 400	9
					13
If a leak is observed, you must temp detection. You must initiate repairs	orarily seal the le within five (5) do	eak within fe	our (4) h	ours of	
15 days.		-yo with comp	orgie tue	repair withi	n.
Signature: 1913	9	- - 	************************************		

Date: 03/19/09	¥7.,4			્ય	Đ (
Time: 12:00 Am	N	2 2 8 e 8		î *	
Battery: Wilputte			* (9
		en en En en			
Are there any leaks? (yes/no)	No		3 1	41 10 27	
If yes, what time was the leak tempor	arily scaled?				
What time and date was it permanently	ly repaired?_	8		8	s,
		27			Ţ
If a leak is observed, you must tempo detection. You must initiate repairs 1 15 days:	rarily seal th within five (5)	e leak with days and c	n four (4 complete) hours o the repair	f within
15 auys.				8	
Signature:		. W.	44	29	6

Date: 2-2/-09	27 3.*	9:			
Time: 400 AM		e e e e	х ,	:()	720 5 = 80
Battery: WILPUTE	, 3 , 3		# ¥ ji	* a	
	er = i	*	ę		
Are there any leaks? (yes/no)	N	0		2 8,	
* 8			4	5 A	
If yes, what time was the leak tempora	arily sealed?		¥	8	*
	1	74		- 14	
What time and date was it permanentl	y repaired?	40	394	*	** * *
हैं। (4) संस्थ			,		
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days.	rarily seal the vithin five (5)	leak within j days and con	four (4) nplete ti	hours of ie repair	within
	W _8			h. ∰ S.	
Signature: Herenym		5	Š * .	ю 31	× × ×

Date. 2 22 0.1	N 0211	6. 1	100		
Time: 400 AM	* *			. B	
Battery: WILPUTTE		to to	+1		8
250027.		****		(e) 3 %	
	s	#*		€ 0	
Are there any leaks? (yes/no)	1 := 3 3	NO	8		٠
9	74			p.	-
If yes, what time was the leak tempora	rily sealed?	1 H	8		A) 38
		2	8	. *	2
What time and date was it permanently	y repaired?	¥ 5	a = 4	1.5	#1 3966 X
	3				
If a leak is observed, you must tempor	rarily seal the l	eak within f	our (4) ho	urs of	
detection. You must initiate repairs w	vithin five (5) de	ays and com	plete the r	epair wit	hin
			* Rg = g		
Signature: Verenign	i	5		1911	
7	T	1.7			11 2

Date: 2-23-09	27 14	00 8	et a		
Time: You AM	21 et 15		43	. *	
Time: YOO AM Battery: WILPUTE		e e	. K	2 4	
	15 A	*	25	: 6 : 8	
Are there any leaks? (yes/no)	NO			, ē ⁷	60 802
If yes, what time was the leak tempor	arily sealed?		-	20 N	
What time and date was it permanent	K. 1.	e 3	19	19 m	
		×	• • • • • • • • • • • • • • • • • • • •		
If a leak is observed, you must tempo detection. You must initiate repairs 1 15 days. Signature:	rarily seal the le within five (5) do	ak within f iys and com	our (4) plete ti	hours of he repair	within
Mary		es i	- 30	*	8 2

2 22		3 342	3 30		5 X
Date: 2-23-09	w 2		es a		
T 1-1	3 8	92		2	12
Time: 15P			19		7) " 2
Battery: W: 1Ports	063		32		· · · ×
Battery. W. Trone		6.7	10000		
	i.	ŭ.		:4	083
		at			
a di salah s			_=	8.0	100
Are there any leaks? (yesho)	J 0			8 00	
			. •		
TC	8		·		
If yes, what time was the leak tempo	orarily sealed?		*	*	
		a		a 9	
What time and date was it permanen	#lar === 10		×		8% °
i and the the the politicalien	my repaired?	-	-	(1,00)	
9					1
(\$27.5) a.	. *				
If a leak is observed, you must temp	orarily seal the le	eak within t	our (d) 1	ioring of	(4)
Tou must utilitie reputity	within five (5) do	lys and con	iplete the	vuis oj e rennir	withti
15 days:			W.	· · · cpun	PLULLIL
(1)	2		* * * *		
Signaturė:	- "				8
Loury		74		500	e

Date: 2-25-09	* (5)			W.			
Time: 100 AM			= 8	Ç.	15	7 PC	
Battery: WILPUTTE				.004 20			6
		g ²		n v		en e	
Are there any leaks? (yes/no)	NO				100	9 2 1	
	197						
If yes, what time was the leak tempora	arily sealed?	at at		Ť	*		
What time and date was it permanently			4	4			7.0
765 x x x	, tspanod.	3	*				12
If a leak is observed, you must tempo detection. You must initiate repairs w 15 days.	rarily seal the within five (5) a	leak with lays and c	in fou compli	r (4) i ete th	hours o e repair	f " within	1
Signature:		2	2	2 5 0 0		F1	
- many		91		50 H 50		× 8	7

Date: 2-25-09	A or		, ,		
Time:	to the second	; , ; , _k ,		ā	9(** •
Battery: Willotte	201 201 3		39.72 d	11 g	
			2	: :	
Are there any leaks? (yes/no)				20°	2.5
	,				
If yes, what time was the leak tempor	rarily sealed?). Dec. (8)	(i)	9	a L
What time and date was it permanent	tly repaired?	* §	2 F		79 %
		0			*
If a leak is observed, you must tempo detection. You must initiate repairs 15 days.	orarily seal the lea within five (5) day	k within fo s and comp	ur (4) I plete the	ours of repair	within
			*		

Date: 2.26-69	* 316 #	*	± 17		
Time: 10',55PM				(16)	<i>₽</i> ⊕ =
Battery: WILPHTTE		4)	. ≅≆ 		. 19
			è		n r z
Are there any leaks? (yes/no)	NO	•		1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(*)**
	(a*)	H		i .	
If yes, what time was the leak tempo	rarily scaled?		4	×	
		10			*
What time and date was it permanen	tly repaired?	si W		*	20
e e e V					24
If a leak is observed, you must temp detection. You must initiate repairs 15 days.	orarily seal the leak within five (5) days t	within fo and comp	ur (4) plete t	hours o he repai	f r within
Signature: V					
orgnature.				11	* E

Date: 3-20/	F H	2000	1 1		
Time: 400 AM Battery: WILLUITE			**		g ref n
		#* #*	8 1 8 8		ts next
Are there any leaks? (yes/no)				*	* 5
If yes, what time was the leak tempor What time and date was it permanent		* *			19 × 10 × 10 × 10 × 10 × 10 × 10 × 10 ×
N 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					7
If a leak is observed, you must tempo detection. You must initiate repairs 15 days: Signature:	orarily seal the le within five (5) do	ak within j	our (4) plete th	hours oj ie repair	within
	# I		, K 849		** "3

Date: 3-44-09	* at.	e :	od _e as		
Time: 11:40Pm			. ,	•	.ee € " •
Battery: WILPUTTY		F (6)	0504		
		¥			# 20 20
Are there any leaks? (yes/no)	ND			jane S	9 4
en e Me	197				
If yes, what time was the leak tempora	rily sealed?		-	×	
		Salt T			
What time and date was it permanently	. 7 repaired?	¥ 9		*	#4 I to
		^			
If a leak is observed, you must tempor detection. You must initiate repairs w	arily seal the leak ithin five (5) days	within f	our (4) plete ti	hours of he repair	within
i diago.			a B _{ig} s i	ē	
Signaturė: V		16	÷	8	8 8 19

Date: 3-37-59	B) se	git #15	· ·	
Time: 10.30PM	N F W		× a	* 9/ **
Battery: WILPUTT &		(a) An	e e a 3	
	4 ,7 	*	8	
Are there any leaks? (yes/no)	NO			
· · · · · · · · · · · · · · · · · · ·	8			
If yes, what time was the leak tempora	arily sealed?	2 *	š	8
What time and date was it permanently	y repaired?	2 4	2 2	ाह स. अ.
	*		•	
If a leak is observed, you must tempo detection. You must initiate repairs with the days.	rarily seal the lo vithin five (5) do	eak within f ays and con	four (4) h	ours of repair within
Signaturė:	3 3			* _

Date: 3-2-09	× 8	10	.*	g ω.		
Time: 108	* * * · · · · · · · · · · · · · · · · ·	100			i es	¥ .
Battery: W: Potte			t:	e vers	14	
		9.			E .	
Are there any leaks? (yes/no)	44, 4	* * i	a 2		* ***	. 3
	(20)	1	7			
If yes, what time was the leak temperature	orarily scaled?	,			*	20
	2	-		248	20.00	**************************************
What time and date was it permaner	ntly repaired?	6	×		010	
		1				
If a leak is observed, you must temp detection. You must initiate repairs 15 days:	porarily seal the le within five (5) do	ak withi ys and c	n fot omp	ır (4) lete ti	hours o he repai	r within
187						

Signature:__

Date: 3-3 -09	· · · · · · · · · · · · · · · · · · ·			9 20			
Time: 10f					£	er [™]	
Battery: W: 1Porte		r [®] × *		to like n		· (6)	
		÷.		1	· ,		
Are there any leaks? (yes/no)			e:		19	lio Levië	
	ři.				-		7
If yes, what time was the leak tempo	rarily scaled?	". 			(a) (a)	9 8	
What time and date was it permanen	tly repaired?	*	Si	**		. ** *.	
If a lank in abassas I	a S			•			•
It a loak in abanual	C						

If a leak is observed, you must temporarily seal the leak within four (4) hours of detection. You must initiate repairs within five (5) days and complete the repair within 15 days.

Signaturė:

1/:	*(m) = 20	92	1. 2		7.7 10.00	71	
Date: 3/4/09.		200		1 18			
Time:		. A T			940 (4)		ev E
Battery: Wilputte		s* s	· b	.e.			
		*.		(b)		8 .	
1/	,			8			
Are there any leaks? (yes/no)			1 2			15	
	7.57					-	<u>, </u>
If yes, what time was the leak temporarily so	ealed?	3 .					į: SE
What time and date was it permanently repa			15	g (9a)	14 A		
				•			
If a leak is observed, you must temporarily detection. You must initiate repairs within 15 days.	seal the leak five (5) days	withing and c	n for omp	ır (4) lete th	hours e repa	of ir wii	thin.
Signature:	8		•				
orginature. (/1)			* 1	8		™ 10€2 ∰ 17	

Date: 3/5/09	**************************************			N,	× ×
Time: 10pm				¥	.n 30.≈ a
Battery: Wilputte		 	* 5	27 H	ζ,
		*			
Are there any leaks? (yes/no)	Vo	7.73		20 1040 33 10	1 E
		¥		s 30	
If yes, what time was the leak tempor	rarily sealed?	:=: ×			10
What time and date was it permanent	D.		3	2.3	a
		*	•		=
If a leak is observed, you must tempo detection. You must initiate repairs 15 days:	orarily seal the le within five (5) da	ak within fo ys and com	our (4) plete th	hours of e repair	within
Signaturė:	ê' <u></u> '				
7/0		E .			•

	**************************************	g. gg/3	= 000 - 05 304	
Date: 3/9/09	* #			g
Time: 9:00 pm		** **	•	*
Battery: Willatte	5 9K (2) 5		99 599350	* - x
		*	3 6 ₁₀	
Are there any leaks? (yes/no)	No	· **		
	. /			
If yes, what time was the leak ten	nporarily sealed?	*	* * * *	e s
What time and date was it perman	4			
	(2)		,•	
If a leak is observed, you must te detection. You must initiate repa 15 days:	mporarily seal the l irs within five (5) d	eak within fo ays and comp	ur (4) hou lete the r	ırs of epair within
	si .		6	
Signaturė:	\$ 9	, 36.1		* (4)
				\$1 D D

1/-			11 6		*	
Date: 3/6/09	y ^{go}	1.		t 👰	s n	
3/3/0/		•				
Time: 100m					8	
	* 8 - 1	1				
Battery: Wilputte	o"		(688	9	76	
			120		**	
				n		
Are there any leaks? (yes/no)	× 5 5	5.0		* *,		
770		<u> </u>		•	3.0	ŭ.
• 2		17		X	¥	
If yes, what time was the leak temporarily sealed?				* .	*	290
	74			9.8		
What time and date was it permanently repaired?	23	3	8		2.	2
5.	8.5					
If a leak is observed, you must temporarily seal the lead detection. You must initiate repairs within forces.	ak with	ln for	ur (d)	haring	of	
detection. You must initiate repairs within five (5) day 15 days:	ys and c	comp	lete th	nours le rena	oj tir with	ı tin
15 days.		Ŷ,		ори	17 6616	
£		12				
Signature:		8 1	21		£	
			18		g 9_	1.0

Date. 03/08/09			• • •		
Time: 10:25 Pm		(4)	ű.	₽ <u>₽</u>	* :)
Battery: Wilputte			* #@	~ ;	1)
			57	n .	* *
		. %	in =	* * *	. *
Are there any leaks? (yes/no)_	NO	-			3.5
If yes, what time was the leak t	emporentia and 10		s.	1 . a	
y and the real total to	omporarity sealed?	*			<u>, :</u>
What time and date was it perm	nanently repaired?	¥ §		140	Ta jan
		7			
If a leak is observed, you must detection. You must initiate re	temporarily seal the leak	within fo	our (4)	hours	r
detection. You must initiate re, 15 days.	pairs within five (5) days	and com	plete t	he repair	within
• 			n Ngo	17.	
Signature: Asset		:	٠.,	(*)	#2 ************************************
	# C 2				1000 00 1

Date: 03/09/09	. ,	gil stif		***	8 //
Time: 10:45 Pm		¥ (*)	32	±	8
Battery: Wilputte	e sa	* ***		00.0	es .
		a He		t , x	
Are there any leaks? (yes/no)	NO	1 B _		8 A N	e [€] ***
TC	3(0)		J. 12	1	
If yes, what time was the leak tem	porarily sealed?_	167	*	×	*
What time and date was it perman	ently repaired?	9	. 10	ine Exe	w _e 3
# # A		*			7
If a leak is observed, you must ter detection. You must initiate repa 15 days:	nporarily seal the l irs within five (5) d	eak within ays and co	four (4) mplete ti	hours of he repair	within
Signature: Conzer	# 1" 3 * "		fil Bayyon Y	d (245	
The same of the sa		, 3	10) No.		*:

Date: 03/10/09	590 g				
Time: 11:00 Pm	· · · · · · · · · · · · · · · · · · ·		88.		: :•:
Battery: Wilputt		, e	* . * .		
		*			
Are there any leaks? (yes/no)	100		. •	16 1000	
. 8 9	•		D	DE 188	
If yes, what time was the leak tempor	carily sealed?	5		380	ä
What time and date was it permanent	W 31.54			4.7 10	
	.j ropunou:				U.
If a leak is observed, you must tempo detection. You must initiate repairs to 15 days.	vrarily seal the within five (5)	leak within days and co	four (4) mplete th	hours of e repair	within
Signature: Corsen		<u></u>		*	×

Date: 03/11/09	3 ×		2 20 2 20	- net			
Time: _//:15 Pm			24	*	*	* *	
Battery: Wilputty		2 P	t-	e ini		12 10	
				(%)	#	e ž	
A	#5 W	9 - B		*	e: g	e - 0	
Are there any leaks? (yes/no)	NO.						•
If yes, what time was the leak temp	orarily sealed?		3	÷	0 1. A	*	
What time and date was it permane	*			#I (M)	3 * ·	, fx	1.0
							8
If a leak is observed, you must tem detection. You must initiate repair 15 days:	porarily seal th 's within five (5	e leak with days and	iin fo comp	ur (4) lete t	hours d he repai	of ir with	ln
			39	e Gara	÷		
Signature: Conse	-		e ş	160		V /42 23 /4	or

Date: 03/12/09	* 5				
Time: 11:45 Pm				× ×	* -
Battery: Wilputte	j.		2%	G (
			: ±		
Are there any leaks? (yes/no)	20			7h W	
	•	0	6		•
If yes, what time was the leak temporaril	y sealed?			*	V.
What time and date was it permanently re	engired?	£ 2	2 · · · · ·	74.6	* * * * * * * * * * * * * * * * * * *
	opanod:	,			:
If a leak is observed, you must temporar detection. You must initiate repairs with 15 days.	ily seal the lea iin five (5) day	ak within j vs and con	four (4) nplete ti	hours oj he repair	f within
			n Dig x	,	
Signature: Asper			ě	34	6
				*	18

Date: 3-15-08.	a - 51	8		9 9	*(
Time: 10/		7an 1 01 1		*	1402 (4	* 1	
Battery: W. Pott-			Ţ	.e.			
	\$ 	in the second se		3	š		
Are there any leaks? (yes/no)	er d _a	, · · ·	6.5		170 W	, e	-
If yes, what time was the leak tempora	arily scaled?			*	21 3 A	¥	_
What time and date was it permanentl		·	*	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		F. F.	
				-			t
If a leak is observed, you must tempo detection. You must initiate repairs w 15 days:	rarily seal th vithin five (5)	e leak wii) days ani	hin fo l comp	ur (4) vlete t	hours he repa	of iir with	in
Signature:	g = 1		3	o Daux	5		

Date: 3-14-09	a .	25	* **				
Time: 10P		s *8.	No.		2 :	* !	1
Battery: Willate		**	21	# Q	-	(A)) 	
	20 21					5 ×	
Are there any leaks? (yes/no)	* 1		¥.		- Şan	200.00	
					2 1		_
If yes, what time was the leak tempor	arily sealed?		*	8	×	<u> </u>	
What time and date was it permanentl		7.0	3	e	ist.		
				•		**************************************	*
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days:	rarily seal th vithin five (5	ie leak wit) days and	hin foi l comp	ir (4) lete ti	hours d he repai	of ir withi	'n
Signature:	1		*	8 ₀ 0	a		

Date: 3-/3-09	QI	1/1		(e) (c) 4	***	ii aa
Time: 10P	3 · · · · · · · · · · · · · · · · · · ·				12	(9) £ "
Battery: W: Potte			1	×		M.
	Š.	a ⁿ n _i		3	: ::	- 56
Are there any leaks? (yes(ho))	8 8	,		20	11 - B ₃₇₃	
in the state of th	,	· ·	-			
If yes, what time was the leak tempor	rarily sealed?	, e				8
What time and dataward		•			7	
What time and date was it permanent	ly repaired?_			*	*	
If a leak is observed you maint town						
If a leak is observed, you must tempo detection. You must initiate repairs 15 days.	rarily seal th within five (5)	e leak with) days and (in for comp	ir (4) lete ti	hours o he repair	f r within
Signatura: MA	ž .		381 881		tii	

	3.50	5 20	5 fe/i	100	
Date: 3-16-09	12 ±15		1 111 (a)		
Time: 10/	3 '4 3,	* 8	¥	SI .	960 81.07
Battery: W. Ports		K S Fell	* 3	a II.	
		ž,			90. 30.
	(20)	*	. t.	061 at	.હો
Are there any leaks? (yes/no)	7 A A				© , 90.50
	100			r 2	
If yes, what time was the leak tempo	rarily sealed?	= **:	*	25 IA	8
		i i	1/2	va te	
What time and date was it permanent	tly repaired?	(*)	<u>.</u> 18	22	THE THEFT
	2	12			
# N =	10				
If a leak is observed, you must tempo detection. You must initiate repairs 15 days.	orarily seal the l	eak within fo	our (4)	hours of	
15 days.	(3) al	гуз ипи сот	plete th	e repair	within
1/0					
Signature:			727	9	

Date: 03/17/09	590 (6		4		6	
Time:			, -		2) E)	: : :x: :2
Battery: Diputte		×*	ķe.			(*)
					r A A	
Are there any leaks? (yes/no)	NO		25h			9.8
If yes, what time was the leak tempor	rarily sealed?	}	13	3	1	
What time and date was it permanent	ly repaired?	50	î.	a e ou	k	****
	a A					
If a leak is observed, you must tempe detection. You must initiate repairs 15 days:	orarily seal t within five (he leak with 5) days and c	n for comp	ir (4) lete th	hours o e repair	f r within
Signature 10 -			8	5 ₂ = 5		
Signature: 460BEA	-	- 0	3 3	\mathbf{s}_{∞}	9	*) (000 ±5

Date: 3/19/09	•	8"	- 19) - 21	1	-16		
Time: 10-6	90 s		, н		¥1	ж ж :	
Battery: Wilputte	es es es es Li	. 15 . 3 . 3	V-	* g		5.	
	1 /			71		9 ×	
	1 - 1 - 1	8		,		* *	
Are there any leaks? (yes/no)	1				* *,	ii.	
							-
If yes, what time was the leak temporarily	sealed?	: ::	87	Œ.			€);
What time and date was it permanently rep	aired?	(12)) \$1	ÿ.		.31		
	A 2011						
If a leak is observed, you must temporarily detection. You must initiate repairs within 15 days.	seal the leak five (5) days	withi and c	in fou compl	ir (4) lete ti	hours he repa	of ir with	l'n
			8	٠ <u>.</u> -	,		

20	8 ₍₅₀₎ = 11	3 31	;		-
Date: 3-6809	34 ·	4	3. Y		
Time: 400 AM			*	IE:	10 10 10 10 10 10 10 10 10 10 10 10 10 1
Battery: WILPATT		** **	er e	n a	
		*	(i) (ii)	- ,	
Are there any leaks? (yes/no)	AJD.	H T S		51 - 18 W 2017	
	700			-	
If yes, what time was the leak tempor	rarily sealed?	2 *			2
What time and date was it permanent		10 90	2	75 PK	× į
			•		
If a leak is observed, you must tempo detection. You must initiate repairs to 15 days.	orarily seal the le within five (5) do	ak within iys and co	four (4) mplete th	hours of e repair	within
			* *		
Signature: Assurp		<u>@</u>	8	9	€3

# #	e:)e:		(7)	
3: :		×	(4) (4)	989
		gell e Georg		×
1 .	Ε.	7.50	7/	n & -
	7.	.71		
NO	- 6.			
0.90	-			
rily sealed?		3	*	3
			92 BR	
repaired?	2		7.	
arily seal the le	ak within	four (4)) hours o	f
unin sive (5) da	ys and co	mplete i	the repair	r within
		/88 (*)		
			₹1	
		* 8 .8.,		
	repaired?	repaired?	repaired?	

Date: 3-2/-0.9	* 5		, i			
Time: 400 AM	, , , , , , , , , , , , , , , , , , ,				ia G	130 8 E
Battery: WILPUTE		al ^e	1.	88 88 Sz	i i	٠.
	âs P					
Are there any leaks? (yes/no)	NO	1 111	12 K		, jaj	(a) (b) (b)
		•				
If yes, what time was the leak tempor	rarily sealed?				* 188	8
What time and date was it permanent	8	267			12.50	*. *.
		17.1				•
If a leak is observed, you must tempo detection. You must initiate repairs 15 days.	orarily seal the within five (5)	e leak with days and c	n foi comp	ir (4) lete ti	hours oj he repair	within
Signature: Learning		•	J Ş			a

Date: 3-23-09	3 I	ar fa	5			- Y)	
Time: 400 Am	28 ST ₃₉₂		· · ·	,		34	30 6 5 10
Battery: WILPATTE			* 10 01 18:	for the	* * §	H %	
	v e						in die
Are there any leaks? (yes/n	0)	NO					* 15
		2					
If yes, what time was the le	ak tempora	rily sealed?		7	# #	ि (क) (क)	16
What time and date was it p	permanently	repaired?_	120 120	•	9 " 10	n te	2 0.00
							t:
If a leak is observed, you m detection. You must initiat 15 days:	nüst tempor e repairs wi	arily seal th	e leak with days and	iln foi comp	ır (4) lete th	hours of se repair	within
Signature:	m		10	si ş	:e/g	97 E	×

Date: 3-24-09	a 9		ရွေး နေရ အျပ	138	
Time: 400 AM			3	8	a se cr
Battery: WILPUTE	4	· ·	*		
		e [™]	#1.39 51	5	
		3	51 25	in g	
Are there any leaks? (yes/no)				* X	2.8
If yes, what time was the leak tem	porarily sealed?		a 1	10 14 14 14	2
What time and date was it perman	ently repaired?	* %	: "F	and Geo	·
		7			
If a leak is observed, you must ter detection. You must initiate repar 15 days:	nporarily seal the le irs within five (5) do	eak within fo lys and com	our (4) h plete the	ours of repair	within
Signature:			to Vietna is		
aguarde Stary	<i></i>	je st	٠.	9	£:

Date: 3-24-05	# g			9		
Time: 12:2000	,	* a) (a)	3	8)
Battery: 3-24-09		:12	F: .	eā.	9	
	8		38	¥	2 ×	2
Are there any leaks? (yes/no)	ND	9 **2	a r	5 ×		e e
*** **********************************		9		. 5	×	
If yes, what time was the leak tempor	arily sealed?) i	9			22
		•		·	•	
What time and date was it permanently	ly repaired?	*	/s	2,60	1.0	3 X
	22	7				
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days.	rarily seal t within five (he leak with) days and	in four	(4) hour	s of	die a
15 days.		,jo unu	complet	e ine rep	air w	thin
	8		E (4)			
Signature:		2			201 **	
		-			ž.	100

Date: 3-25.09	W 60		A P		
Time: 10:40P		· ·		¥	# # #
Battery: WILPUTTY			Sec	A A	-
	A	*	55		ž Z
Are there any leaks? (yes/no)	No			* * * * * * * * * * * * * * * * * * *	**
If yes, what time was the leak tempor	rarily sealed?	* *	¥ B	*	
What time and date was it permanent	ly repaired?	N	· ·	3. E	u Đ
If a leak is observed, you must tempo detection. You must initiate repairs 15 days:	rarily seal the le within five (5) da	ak within fo ys and com	our (4) plete th	hours of e repair	within
Signature:	p		٠,		
orginature.		ā (M)		Ø 10 20	